
















TECHNICAL INFORMATION		SP-4000
Total width, mm		2583
Spreading width, mm		2254
Container volume, m³		4
Total lenght, mm		3768
Height, mm		1896
Height with hood, mm		2043
Empty weight, kg		1694
Full weight, kg		7375
Hood weight, kg		90
Recommended oil flow 160bar., l/min		60











Birutės 57B, Plungė 90112, Lithuania
Tel.: +370 448 71863
Fax: +370 448 71891

1	2	3	4	5	6	7	8
TECHNICAL INFORMATION		SP-6000					
Total width, mm		2583					
Spreading width, mm		2254					
Container volume, m³		6					
Total lenght, mm		3768					
Height, mm		2246					
Height with hood, mm		2410					
Empty weight, kg		2363					
Full weight, kg		10685					
Hood weight, kg		90					
Recommended oil flow 160bar., l/min		60					











Birutės 57B, Plungė 90112, Lithuania
 Tel.: +370 448 71863
 Fax: +370 448 71891

TECHNICAL INFORMATION		SP-8000
Total width, mm		2583
Spreading width, mm		2254
Container volume, m³		8
Total lenght, mm		3768
Height, mm		2521
Height with hood, mm		2685
Empty weight, kg		2440
Full weight, kg		12820
Hood weight, kg		90
Recommended oil flow 160bar., l/min		60



Birutės 57B, Plungė 90112, Lithuania
Tel.: +370 448 71863
Fax: +370 448 71891

TECHNICAL INFORMATION		SP-9000
Total width, mm		2583
Spreading width, mm		2254
Container volume, m³		9
Total lenght, mm		3768
Height, mm		2696
Height with hood, mm		2860
Empty weight, kg		2480
Full weight, kg		14190
Hood weight, kg		90
Recommended oil flow 160bar., l/min		60



Birutės 57B, Plungė 90112, Lithuania
Tel.: +370 448 71863
Fax: +370 448 71891